

November 22, 2000

Ms. Grisell V. Diaz-Cotto
Emergency and Remedial Response Division
United States Environmental Protection Agency
Region III
290 Broadway, 19th Floor
New York, NY 10007-1866


Re: October 2000 Discharge Monitoring Report
Leachate Treatment Plant, Operable Unit 1
Kin-Buc Landfill Superfund Site

Dear Ms. Diaz-Cotto:

The October 2000 Discharge Monitoring Report (DMR) for the Leachate Treatment Plant of Operable Unit 1, Kin-Buc Landfill Superfund Site, prepared by U.S. Filter Operating Services is attached. We will provide copies of the DMR to Ian Curtis and Susan Dietrick at the NJDEP.

Should you have any questions concerning the DMR or other site items, please contact me or Glenn Grieb at the Kin-Buc site.

Very truly yours,
USFilter Operating Services
On behalf of SCA Services, Inc.,



Dennis J. Duryea, P.E.
Area Manager

Enclosure

cc: Ian Curtis - NJDEP
Susan Dietrick - NJDEP
Stephen Joyce - SCA
Carl Januszkiewicz - Waste Management
Glenn Grieb - USFOS, Kin-Buc
File



NEW JERSEY DEPARTMENT OF ENVIRONMENTAL PROTECTION
DIVISION OF WATER QUALITY

MONITORING REPORT - TRANSMITTAL SHEET

NJPDES NO.

*					
---	--	--	--	--	--

*NJ Permit Equivalent

REPORTING PERIOD

M	o.	Y	r.	M	o.	Y	r.
1	0	0	0	1	0	0	0

PERMITTEE: Name: SCA Services, Inc.
 Address: 383 Meadow Road
 Edison, New Jersey 08817

FACILITY: Name: Kin-Buc Landfill
 Address: 383 Meadow Road
 Edison, New Jersey 08817
 Telephone: 732-572-4743

FORMS ATTACHED (Indicate Quantity of Each)

Operating Exceptions

SLUDGE REPORT-SANITARY	YES	NO
___ T-VWX-007 ___ T-VWX-008 ___ T-VWX-009	___	<u>X</u>
___ EPA Form 3320-1		
SLUDGE REPORT-INDUSTRIAL		
___ T-VWX-010A ___ T-VWX-010B	___	<u>X</u>
DISINFECTION INTERRUPTION	___	<u>X</u>
WASTEWATER REPORTS		
___ T-VWX-011 ___ T-VWX-012 ___ T-VWX-013	___	<u>X</u>
MONITORING MALFUNCTIONS	___	<u>X</u>
GROUNDWATER REPORTS		
___ T-VWX-015(A,B) ___ T-VWX-016 ___ T-VWX-017	___	<u>X</u>
UNITS OF OPERATION	___	<u>X</u>
___ ELECTRONIC SUBMISSION		
OTHER	<u>X</u>	___

NPDES DISCHARGE MONITORING
X EPA Form 3320-1

(Detail any "Yes" on reverse side in appropriate space.)

NOTE: The "Hours Attended at Plant" on the reverse of this sheet must also be completed.

AUTHENTICATION I certify under penalty of law that this document and all attachments were prepared under the direction or supervision in accordance with a system designed to assure my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

LICENSED OPERATOR

PRINCIPAL EXECUTIVE OFFICER OR
DULY AUTHORIZED REPRESENTATIVE

Name (Printed) Dennis J. Duryea
 Grade & Registry No. N-4 ; 0014528
 Signature Dennis J. Duryea

Name (Printed) Dennis J. Duryea
 Title (Printed) Plant Operations Manager
 Signature Dennis J. Duryea



November 21, 2000

In reply to: KinBuc DMR for the month of October

Dear Sir or Madam:

Subject: KinBuc DMR

I am writing this letter in response to some very unusual results for the KinBuc plant in Edison, NJ for the month of October. The results of the effluent BOD sample seem to be much higher and out of range from the normal data we typically see. Although this is not a lab error, contamination could be an issue. Contamination can occur anywhere within the operating system to the actual sampling of the effluent discharge.

If you have any questions on this matter, feel free to contact me at (609) 397-5326.

Sincerely,

Erin McManus
Client Representative
Columbia Analytical Services, Inc.

PERMITTEE NAME/ADDRESS


NAME SCA SERVICES, INC.
383 MEADOW ROAD
ADDRESS EDISON, NEW JERSEY 08817

FACILITY
LOCATION KIN-BUC LANDFILL
EDISON, NEW JERSEY
ATTN: CARL JANUSZKIEWICZ

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM

DISCHARGE MONITORING REPORT

NJ PERMIT EQUIVALENT			001			
PERMIT NUMBER			DISCHARGE NUMBER			
MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
00	10	01		00	10	31

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
FLOW	SAMPLE MEASUREMENT	0.015480	0.033436	MGD	*****	*****	*****	***		continuous	flow meter
	PERMIT REQUIREMENT	REPORT	ONLY		*****	*****	*****			continuous	flow meter
pH	SAMPLE MEASUREMENT			---	7.27		8.20	S.U.	0	1/week	grab
	PERMIT REQUIREMENT	*****	*****		6.0	*****	9.0			weekly	grab
PETROLEUM HYDROCARBONS	SAMPLE MEASUREMENT			---	*****	<0.5	<0.5	mg/l	0	2/month	grab
	PERMIT REQUIREMENT	*****	*****		*****	10	15			2/month	grab
COD	SAMPLE MEASUREMENT	12.7	16.6	kg/day	*****	119	136	mg/l		2/month	comp.
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT	ONLY			2/month	comp.
BOD-5 % REMOVAL	SAMPLE MEASUREMENT			---	65%			%	1	2/month	calc.
	PERMIT REQUIREMENT	*****	*****		90	*****	*****			2/month	calc.
TOTAL SUSPENDED SOLIDS	SAMPLE MEASUREMENT	0.2782	0.5016	kg/day	*****	2.7	4.1	mg/l	0	1/week	comp.
	PERMIT REQUIREMENT	REPORT	ONLY		*****	30	45(1)			weekly	comp.
DISSOLVED OXYGEN	SAMPLE MEASUREMENT			---	9.0		12.2	mg/l	0	1/week	grab
	PERMIT REQUIREMENT	*****	*****		4.0 MIN. INSTANT	*****	*****			weekly	grab
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that I have personally examined and am familiar with the information submitted herein, and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. See 18 U.S.C. 1001 & 33 U.S.C. 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years)					TELEPHONE		DATE		
Dennis J. Duryea, P.E. Area Manager		 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT					732	572-4743	00 11 21		
TYPED OR PRINTED							AREA CODE	NUMBER	YEAR MO DAY		
COMMENTS AND EXPLANATIONS OF ANY VIOLATIONS		(REFERENCE ALL ATTACHMENTS HERE)									

PERMITTEE NAME/ADDRESS

NAME
ADDRESS

SCA SERVICES, INC.
383 MEADOW ROAD
EDISON, NEW JERSEY 08817

FACILITY
LOCATION
ATTN:

KIN-BUC LANDFILL
EDISON, NEW JERSEY
CARL JANUSZKIEWICZ

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM
DISCHARGE MONITORING REPORT

NJ PERMIT EQUIVALENT			001			
PERMIT NUMBER			DISCHARGE NUMBER			
MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
00	10	01		00	10	31

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
BENZENE	SAMPLE MEASUREMENT	<0.00028	<0.00028	kg/day	*****	<2.3	<2.3	ug/L	0	2/month	grab
	PERMIT REQUIREMENT	0.009	0.02		*****	57	134			2/month	grab
CHLOROBENZENE	SAMPLE MEASUREMENT	<0.00034	<0.00034	kg/day	*****	<2.8	<2.8	ug/L	0	2/month	grab
	PERMIT REQUIREMENT	0.022	0.058		*****	142	380			2/month	grab
1,1 DICHLOROETHENE	SAMPLE MEASUREMENT	<0.00034	<0.00034	kg/day	*****	<2.8	<2.8	ug/L	0	2/month	grab
	PERMIT REQUIREMENT	0.003	0.009		*****	22	59			2/month	grab
ETHYLBENZENE	SAMPLE MEASUREMENT	<0.00034	<0.00034	kg/day	*****	<2.8	<2.8	ug/L	0	2/month	grab
	PERMIT REQUIREMENT	0.022	0.058		*****	142	380			2/month	grab
TETRACHLOROETHYLENE	SAMPLE MEASUREMENT	<0.00038	<0.00038	kg/day	*****	<3.1	<3.1	ug/L	0	2/month	grab
	PERMIT REQUIREMENT	0.008	0.025		*****	52	164			2/month	grab
TOLUENE	SAMPLE MEASUREMENT	<0.00053	<0.00053	kg/day	*****	<4.4	<4.4	ug/L	0	2/month	grab
	PERMIT REQUIREMENT	0.004	0.011		*****	28	74			2/month	grab
1,2-TRANSDICHLOROETHYLENE	SAMPLE MEASUREMENT	<0.00030	<0.00030	kg/day	*****	<2.5	<2.5	ug/L	0	2/month	grab
	PERMIT REQUIREMENT	0.004	0.009		*****	25	60			2/month	grab
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		<small>I certify under penalty of law that I have personally examined and am familiar with the information submitted herein, and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. See 18 U.S.C. 1001 & 33 U.S.C. 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years)</small>					TELEPHONE		DATE		
Dennis J. Duryea, P.E. Area Manager							732 572-4743		00 10 22		
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT					AREA CODE	NUMBER	YEAR	MO	DAY
COMMENTS AND EXPLANATIONS OF ANY VIOLATIONS		(REFERENCE ALL ATTACHMENTS HERE)									

PERMITTEE NAME/ADDRESS

NAME

ADDRESS

FACILITY

LOCATION


ATTN:

SCA SERVICES, INC.
383 MEADOW ROAD
EDISON, NEW JERSEY 08817

KIN-BUC LANDFILL
EDISON, NEW JERSEY
CARL JANUSZKIEWICZ

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM
DISCHARGE MONITORING REPORT

NJ PERMIT EQUIVALENT			001			
PERMIT NUMBER			DISCHARGE NUMBER			
MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
00	10	01		00	10	31

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
TRICHLOROETHYLENE	SAMPLE MEASUREMENT	<0.00029	<0.00029	kg/day	*****	<2.4	<2.4	ug/L	0	2/month	grab
	PERMIT REQUIREMENT	0.004	0.010		*****	26	69			2/month	grab
VINYL CHLORIDE	SAMPLE MEASUREMENT	<0.00052	<0.00052	kg/day	*****	<4.3	<4.3	ug/L	0	1/week	grab
	PERMIT REQUIREMENT	0.008	0.016		*****	52.8	106			weekly	grab
ACENAPHTHYLENE	SAMPLE MEASUREMENT	<0.000095	<0.000095	kg/day	*****	<0.94	<0.94	ug/L	0	1/month	grab
	PERMIT REQUIREMENT	0.00026	0.00052		*****	1.72	3.43			monthly	grab
BENZO(A)ANTHRACENE	SAMPLE MEASUREMENT	<0.000090	<0.000090	kg/day	*****	<0.89	<0.89	ug/L	0	1/month	grab
	PERMIT REQUIREMENT	0.00026	0.00052		*****	1.72	3.43			monthly	grab
BENZO(A)PYRENE	SAMPLE MEASUREMENT	<0.0000048	<0.0000048	kg/day	*****	<0.48	<0.48	ug/L	0	1/month	grab
	PERMIT REQUIREMENT	0.00026	0.00052		*****	1.72	3.43			monthly	grab
BENZO(ghi)PERYLENE	SAMPLE MEASUREMENT	<0.000055	<0.000055	kg/day	*****	<0.54	<0.54	ug/L	0	1/month	grab
	PERMIT REQUIREMENT	0.00026	0.00052		*****	1.72	3.43			monthly	grab
BENZO(K)FLUORANTHENE	SAMPLE MEASUREMENT	0.000093	0.000093	kg/day	*****	<0.92	<0.92	ug/L	0	1/month	grab
	PERMIT REQUIREMENT	0.00026	0.00052		*****	1.72	3.43			monthly	grab
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that I have personally examined and am familiar with the information submitted herein and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. See 18 U.S.C. 1001 & 33 U.S.C. 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years)				SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		TELEPHONE		DATE	
Dennis J. Duryea, P.E. Area Manager								732 572-4743		00 11 22	
TYPED OR PRINTED						AREA CODE		NUMBER		YEAR MO DAY	
COMMENTS AND EXPLANATIONS OF ANY VIOLATIONS		(REFERENCE ALL ATTACHMENTS HERE)									

PERMITTEE NAME/ADDRESS

NAME
ADDRESS


SCA SERVICES, INC.
383 MEADOW ROAD
EDISON, NEW JERSEY 08817

FACILITY
LOCATION
ATTN:

KIN-BUC LANDFILL
EDISON, NEW JERSEY
CARL JANUSZKIEWICZ

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM
DISCHARGE MONITORING REPORT

NJ PERMIT EQUIVALENT			001			
PERMIT NUMBER			DISCHARGE NUMBER			
MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
00	10	01		00	10	31

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
IDENO(1,2,3cd) PYRENE	SAMPLE MEASUREMENT	<0.000060	<0.000060	kg/day	*****	<0.59	<0.59	ug/L	0	1/month	grab
	PERMIT REQUIREMENT	0.00026	0.00052		*****	1.72	3.43			monthly	grab
PHENANTHRENE	SAMPLE MEASUREMENT	<0.000070	<0.000070	kg/day	*****	<0.57	<0.57	ug/L	0	1/week	grab
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT ONLY	5.4(2)			weekly	grab
ALDRIN	SAMPLE MEASUREMENT	<0.0000050	<0.0000050	kg/day	*****	<0.050	<0.050	ug/L	0	1/month	grab
	PERMIT REQUIREMENT	0.000133	0.00026		*****	0.0875	0.176			monthly	grab
4,4-DDT	SAMPLE MEASUREMENT	<0.000012	<0.000012	kg/day	*****	<0.1	<0.1	ug/L	0	1/week	grab
	PERMIT REQUIREMENT	0.0000578	0.000146		*****	0.38	0.765			weekly	grab
PCB-1242	SAMPLE MEASUREMENT	<0.000036	<0.000036	kg/day	*****	<0.3	<0.3	ug/L	0	1/week	grab
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT ONLY	0.5(2)			weekly	grab
PCB-1248	SAMPLE MEASUREMENT	<0.000036	<0.000036	kg/day	*****	<0.3	<0.3	ug/L	0	1/week	grab
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT ONLY	0.5(2)			weekly	grab
PCB-1254	SAMPLE MEASUREMENT	<0.000036	<0.000036	kg/day	*****	<0.3	<0.3	ug/L	0	1/week	grab
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT ONLY	0.5(2)			weekly	grab
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that I have personally examined and am familiar with the information submitted herein, and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. See 18 U.S.C. 1001 & 33 U.S.C. 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years)				TELEPHONE		DATE			
Dennis J. Duryea, P.E. Area Manager		 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT				732 572-4743		00 10 22			
TYPED OR PRINTED						AREA CODE		NUMBER		YEAR MO DAY	
COMMENTS AND EXPLANATIONS OF ANY VIOLATIONS (REFERENCE ALL ATTACHMENTS HERE)											


PERMITTEE NAME/ADDRESS

NAME SCA SERVICES, INC.
ADDRESS 383 MEADOW ROAD
EDISON, NEW JERSEY 08817

FACILITY
LOCATION KIN-BUC LANDFILL
EDISON, NEW JERSEY
ATTN: CARL JANUSZKIEWICZ

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM
DISCHARGE MONITORING REPORT

NJ PERMIT EQUIVALENT			001			
PERMIT NUMBER			DISCHARGE NUMBER			
MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
00	10	01		00	10	31

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
PCB-1260	SAMPLE MEASUREMENT	<0.000036	<0.000036	kg/day	*****	<0.3	<0.3	ug/L	0	1/week	grab
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT ONLY	0.5(2)			weekly	grab
ARSENIC	SAMPLE MEASUREMENT	<0.0012	<0.0012	kg/day	*****	<10	<10	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	0.013	0.026		*****	85.8	172			weekly	comp
CADMIUM	SAMPLE MEASUREMENT	<0.00061	<0.00061	kg/day	*****	<5.0	<5.0	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	0.0073	0.017		*****	48.2	112			weekly	comp
CHROMIUM	SAMPLE MEASUREMENT	<0.0012	<0.0012	kg/day	*****	<10	<10	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	0.030	0.060		*****	198	396			weekly	comp
COPPER	SAMPLE MEASUREMENT	<0.00024	<0.00024	kg/day	*****	<2	<2	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT ONLY	10			weekly	comp
LEAD	SAMPLE MEASUREMENT	<0.00061	<0.00061	kg/day	*****	<5	<5	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	REPORT	ONLY		*****	REPORT ONLY	10			weekly	comp
NICKEL	SAMPLE MEASUREMENT	<0.0048	<0.0048	kg/day	*****	<40	<40	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	0.140	0.281		*****	924	1850			weekly	comp
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that I have personally examined and am familiar with the information submitted herein, and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. See 18 U.S.C. 1001 & 33 U.S.C. 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years)				 SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT		TELEPHONE		DATE	
Dennis J. Duryea, P.E. Area Manager						732 572-4743		00 11 22			
TYPED OR PRINTED						AREA CODE		NUMBER		YEAR MO DAY	
COMMENTS AND EXPLANATIONS OF ANY VIOLATIONS		(REFERENCE ALL ATTACHMENTS HERE)									

PERMITTEE NAME/ADDRESS

NAME SCA SERVICES, INC.
 ADDRESS 383 MEADOW ROAD
 EDISON, NEW JERSEY 08817

FACILITY
 LOCATION
 ATTN:

KIN-BUC LANDFILL
 EDISON, NEW JERSEY
 CARL JANUSZKIEWICZ

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM
 DISCHARGE MONITORING REPORT

NJ PERMIT EQUIVALENT	001
PERMIT NUMBER	DISCHARGE NUMBER

MONITORING PERIOD						
YEAR	MO	DAY	TO	YEAR	MO	DAY
00	10	01		00	10	31

PARAMETER		QUANTITY OR LOADING			QUALITY OR CONCENTRATION				NO. EX	FREQUENCY OF ANALYSIS	SAMPLE TYPE
		AVERAGE	MAXIMUM	UNITS	MINIMUM	AVERAGE	MAXIMUM	UNITS			
ZINC	SAMPLE MEASUREMENT	<0.0024	<0.0024	kg/day	*****	<20	<20	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	0.177	0.356		*****	1170	2350			weekly	comp
CYANIDE	SAMPLE MEASUREMENT	<0.0012	<0.0012	kg/day	*****	<10	<10	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	0.002	0.004		*****	13.2	26.4			weekly	comp
ALUMINUM	SAMPLE MEASUREMENT	<0.0095	0.0122	kg/day	*****	<100	103	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	1.40	2.81		*****	9240	18500			weekly	comp
IRON	SAMPLE MEASUREMENT	<0.0122	<0.0122	kg/day	*****	<100	<100	ug/L	0	1/week	comp
	PERMIT REQUIREMENT	80.6	162		*****	532000	1070000			weekly	comp
ACUTE TOXICITY, (LC50)	SAMPLE MEASUREMENT			---		*****	*****	%			
	PERMIT REQUIREMENT	*****	*****		50(3)	*****	*****			see permit	equivalent
	SAMPLE MEASUREMENT			---	*****	*****	*****			*****	*****
	PERMIT REQUIREMENT				*****	*****	*****			*****	*****
	SAMPLE MEASUREMENT			---	*****	*****	*****			*****	*****
	PERMIT REQUIREMENT	*****	*****		*****	*****	*****			*****	*****
NAME/TITLE PRINCIPAL EXECUTIVE OFFICER		I certify under penalty of law that I have personally examined and am familiar with the information submitted herein, and based on my inquiry of those individuals immediately responsible for obtaining the information, I believe the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. See 18 U.S.C. 1001 & 33 U.S.C. 1319. (Penalties under these statutes may include fines up to \$10,000 and/or maximum imprisonment of between 6 months and 5 years)					TELEPHONE		DATE		
Dennis J. Duryea, P.E. Area Manager							732 572-4743		00 11 22		
TYPED OR PRINTED		SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT					AREA CODE NUMBER		YEAR MO DAY		
COMMENTS AND EXPLANATIONS OF ANY VIOLATIONS		(REFERENCE ALL ATTACHMENTS HERE)									